Index to Volume 62

Author Index

Abbott, Isabella A.—*see* Tsuda et al.
Alvarado, Juan José
Seasonal Occurrence and Aggregation Behavior of the Sea Urchin *Astropyga pulvinata* (Echinodermata: Echinoidea) in Bahía Culebra, Costa Rica, 579–592
Aoki, Misuzu, Hideyuki Imai, Tohru Naruse, and Yuzuru Ikeda
Low Genetic Diversity of Oval Squid, *Sepioteuthis* cf. *lessoniana* (Cephalopoda: Loliginidae), in Japanese Waters Inferred from a Mitochondrial DNA Non-coding Region, 403–411
Arthur, Karen E. and George H. Balazs
A Comparison of Immature Green Turtle (*Chelonia mydas*) Diets among Seven Sites in the Main Hawaiian Islands, 205–217

Baker, A. C.—*see* Smith et al.
Balazs, George H.—*see* Arthur and Balazs
Bardi, E.—*see* Wade et al.
Bauer, Aaron M., Todd R. Jackman, Ross A. Sadlier, Glenn Shea, and Anthony H. Whitaker
A New Small-Bodied Species of *Bavayia* (Reptilia: Squamata: Diplodactylidae) from Southeastern New Caledonia, 247–256
Bayer, Frederick M.—*see* Cairns and Bayer
Beavers, Sallie—*see* Weijerman et al.
Birkeland, C.—*see* Smith et al.
Bjorkstedt, Eric P.—*see* Bonine et al.
Bonine, Kimberly M., Eric P. Bjorkstedt, Katherine C. Ewel, and Moses Palik
Population Characteristics of the Mangrove Crab *Scylla serrata* (Decapoda: Portunidae) in Kosrae, Federated States of Micronesia: Effects of Harvest and Implications for Management, 1–19
Brooks, Andrew J.—*see* de Loma et al.
Brown, Eric K.—*see* Piniak and Brown
Buden, Donald W.
The Reptiles of Nauru, 499–507
Buden, Donald W. and W. John Tennent
First Records of Butterflies (Lepidoptera) from the Republic of Nauru, 495–498
Butler, D. J.—*see* Powlesland et al.

Cairns, Stephen D. and Frederick M. Bayer
A Review of the Octocorallia (Cnidaria: Anthozoa) from Hawai'i and Adjacent Seamounts: The Genus *Narella* Gray, 1870, 83–115
Camacho, Vicente A.—*see* Cruz et al.
Chancerelle, Yannick—*see* de Loma et al.
Chiba, Satoshi, Tetsuro Sasaki, Hajime Suzuki, and Kazuo Horikoshi
Subfossil Land Snail Fauna (Mollusca) of Central Chichijima, Ogasawara Islands, with Description of a New Species, 137–145
Clements, David R.—*see* Feenstra and Clements
Colgan, D. J. and S. Soheili
Evolutionary Lineages in *Emballonura* and *Mosia* Bats (Mammalia: Microchiroptera) from the Southwestern Pacific, 219–232
Cruz, Justine B., Shelly R. Kremer, Gayle Martin, Laura L. Williams, and Vicente A. Camacho
Relative Abundance and Distribution of Mariana Swiftlets (Aves: Apodidae) in the Northern Mariana Islands, 233–246

Davies, Neil
see de Loma et al.
see Tsuchiya et al.
de Loma, Thierry Lison, Craig W. Osenberg, Jeffrey S. Shima, Yannick Chancerelle, Neil Davies, Andrew J. Brooks, and René Galzin
A Framework for Assessing Impacts of Marine Protected Areas in Moorea (French Polynesia), 431–441
de Scally, Fes A.
Historical Tropical Cyclone Activity and Impacts in the Cook Islands, 443–459
Denda, Tetsuo—*see* Kidera et al.
Denslow, Julie S.—*see* Uowolo and Denslow

Earle, John L.—*see* Randall and Earle
Enochs, Ian C.—*see* Glynn et al.
Ewel, Katherine C.—*see* Bonine et al.

Fanolua, F. S.—*see* Wade et al.
Feenstra, Kathleen R. and David R. Clements
Biology and Impacts of Pacific Island Invasive Species. 4. *Verbesina encelioides*, Golden Crownbeard (Magnoliopsida: Asteraceae), 161–176
Feroz, S. M.—*see* Hagihara et al.
Fisher, Jack R.—*see* Tsuda et al.
Fletcher, Charles H.—*see* Vitousek and Fletcher
Foster, Kevin B.—*see* Tsuda et al.
Froeschke, John T.—*see* Pondella et al.
Fujimura, H.—*see* Imo et al.
Fukuda, Takumi and Euichi Hirose
Differences in Associated Crustacean Fauna and Seasonality of Sexual Reproduction between Two Color Morphs of the Photosymbiotic Ascidian *Didemnum molle* (Ascidiacea: Didemnidae), 309–316

Galzin, René
see de Loma et al.
see Tsuchiya et al.
Glynn, Peter W., Ian C. Enochs, John E. McCosker, and Abigail N. Graefe
First Record of a Pearlfish, *Carapus mourlani*, Inhabiting the Aplysiid Opisthobranch Mollusc *Dolabella auricularia*, 593–601
Graefe, Abigail N.—*see* Glynn et al.

Hagihara, Akio, S. M. Feroz, and Masatsugu Yokota
Canopy Multilayering and Woody Species Diversity of a Subtropical Evergreen Broadleaf Forest, Okinawa Island, 363–376
Hearn, Alex and Juan Carlos Murillo
Life History of the Red Spiny Lobster, *Panulirus penicillatus* (Decapoda: Palinuridae), in the Galápagos Marine Reserve, Ecuador, 191–204
Hikida, Tsutomu—*see* Honda et al.
Hirose, Euichi—*see* Fukuda and Hirose
Hoddle, Christina D.—*see* Hoddle et al.
Hoddle, Mark S., Christina D. Hoddle, and Laurence A. Mound
Inventory of Thysanoptera Collected from French Polynesia, 509–515
Honda, Masanao, Taku Okamoto, Tsutomu Hikida, and Hidetoshi Ota
Molecular Phylogeography of the Endemic Five-lined Skink (*Plestiodon marginatus*) (Reptilia: Scincidae) of the Ryukyu Archipelago, Japan, with Special Reference to the Relationship of a Northern Tokara Population, 351–362
Horikoshi, Kazuo—*see* Chiba et al.

Ikeda, Yuzuru—*see* Aoki et al.
Imai, Hideyuki
see Aoki et al.
see Yamakawa et al.
Imo, S. T., M. A. Sheikh, K. Sawano, H. Fujimura, and T. Oomori
Distribution and Possible Impacts of Toxic Organic Pollutants on Coral Reef Ecosystems around Okinawa Island, Japan, 317–326
Izawa, Masako—*see* Kidera et al.

Jackman, Todd R.—*see* Bauer et al.

Kenyon, Jean C.
Acropora (Anthozoa: Scleractinia) Reproductive Synchrony and Spawning Phenology in the Northern Line Islands, Central Pacific, as Inferred from Size Classes of Developing Oocytes, 569–578
Kidera, Noriko, Nontivich Tandavanitj, Daehyun Oh, Nozomi Nakanishi, Aya Satoh, Tetsuo Denda, Masako Izawa, and Hidetoshi Ota
Dietary Habits of the Introduced Cane Toad, *Bufo marinus* (Amphibia: Bufonidae), on Ishigakijima, Southern Ryukyus, Japan, 423–430
King, Cynthia and Daniel Rubinoff
First Record of Fossorial Behavior in Hawaiian Leafroller Moth Larvae, *Omiodes continuatalis* (Lepidoptera: Crambidae), 147–150
Kondo, Masashi—*see* Maeda et al.
Kremer, Shelly R.—*see* Cruz et al.

Longenecker, Ken
Relationships Between Otolith Size and Body Size for Hawaiian Reef Fishes, 533–539
López-Victoria, Mateo and Bernd Werding
Ecology of the Endemic Land Crab *Johngarthia malpilensis* (Decapoda: Brachyura: Gecarcinidae), a Poorly Known Species from the Tropical Eastern Pacific, 483–493

Maeda, Ken, Nozomi Yamasaki, Masashi Kondo, and Katsunori Tachihara
Reproductive Biology and Early Development of Two Species of Sleeper, *Eleotris acanthopoma* and *Eleotris fusca* (Teleostei: Eleotridae), 327–340
Martin, Gayle—*see* Cruz et al.
McCosker, John E.—*see* Glynn et al.
McCoy, Mark D.
Hawaiian Limpet Harvesting in Historical Perspective: A Review of Modern and Archaeological Data on *Cellana* spp. from the Kalaupapa Peninsula, Moloka'i Island, 21–38
Medeiros, Lea—*see* Pondella et al.
Miller, Eric—*see* Pondella et al.
Morrison, Lloyd W.
Patterns of Nestedness in Remote Polynesian Ant Faunas (Hymenoptera: Formicidae), 117–127
Most, Rebecca—*see* Weijerman et al.
Mound, Laurence A.—*see* Hoddle et al.
Mueller-Dombois, Dieter
Pacific Island Forests: Successionally Impoverished and Now Threatened to Be Overgrown by Aliens?, 303–308
Murillo, Juan Carlos—*see* Hearn and Murillo

Nakamura, Takashi and Hideo Yamasaki
Flicker Light Effects on Photosynthesis of Symbiotic Algae in the Reef-Building Coral *Acropora digitifera* (Cnidaria: Anthozoa: Scleractinia), 341–350
Nakanishi, Nozomi—*see* Kidera et al.
Naruse, Tohru—*see* Aoki et al.
Nishikawa, A.
Degree and Pattern of Gene Flow in Several Scleractinian Corals in the Ryukyu Archipelago, Southern Japan, 413–421

Oh, Daehyun—*see* Kidera et al.
Okamoto, Taku—*see* Honda et al.
Oomori, T.—*see* Imo et al.
Osenberg, Craig W.—*see* de Loma et al.
Ota, Hidetoshi
see Honda et al.
see Kidera et al.
see Takahashi et al.
Otsuka, Hiroyuki—*see* Takahashi et al.

Palik, Moses—*see* Bonine et al.
Piniak, Gregory A. and Eric K. Brown
Growth and Mortality of Coral Transplants (*Pocillopora damicornis*) along a Range of Sediment Influence in Maui, Hawai'i, 39–55
Pondella II, Daniel J., John T. Froeschke, Lynne S. Wetmore, Eric Miller, Charles F. Valle, and Lea Medeiros
Demographic Parameters of Yellowfin Croaker, *Umbrina roncador* (Perciformes: Sciaenidae), from the Southern California Bight, 555–568

Poupin, Joseph
Biogeography of the Decapod and Stomatopod Crustacea of the Tropical Pacific: Issues and Prospects, 377–383
Powlesland, R. G., D. J. Butler, and I. M. Westbrooke
Was Tropical Cyclone Heta or Hunting by People Responsible for Decline of the Lupe (*Ducula pacifica*) (Aves: Columbidae) Population on Niue during 1994–2004?, 461–471

Randall, John E. and John L. Earle
Two New Indo-Pacific Sand Lances of the Genus *Ammodytoides* (Perciformes: Ammodytidae), 603–612
Rubinoff, Daniel—*see* King and Rubinoff

Sadlier, Ross A.—*see* Bauer et al.
Sasaki, Tetsuro—*see* Chiba et al.
Satoh, Aya—*see* Kidera et al.
Sawano, K.—*see* Imo et al.
Shea, Glenn—*see* Bauer et al.
Sheikh, M. A.—*see* Imo et al.
Shima, Jeffrey S.—*see* de Loma et al.
Siqueiros-Beltrones, D. A.
Role of Pro-Thrombolites in the Geomorphology of a Coastal Lagoon, 257–269
Smith, L. W., H. Wirshing, A. C. Baker, and C. Birkeland
Environmental versus Genetic Influences on Growth Rates of the Corals *Pocillopora eydouxi* and *Porites lobata* (Anthozoa: Scleractinia), 57–69
Soheili, S.—*see* Colgan and Soheili
Suzuki, Hajime—*see* Chiba et al.

Tachihara, Katsunori—*see* Maeda et al.
Takahashi, Akio, Hiroyuki Otsuka, and Hidetoshi Ota
Systematic Review of Late Pleistocene Turtles (Reptilia: Chelonii) from the Ryukyu Archipelago, Japan, with Special Reference to Paleogeographical Implications, 395–402
Tandavanitj, Nontivich—*see* Kidera et al.
Tennent, W. John—*see* Buden and Tennent
Tsuchiya, Makoto, René Galzin, and Neil Davies
Biodiversity Research on Coral Reef and Island Ecosystems: Scientific Cooperation in the Pacific Region, 299–301
Tsuda, Roy T., Peter S. Vroom, Isabella A. Abbott, Jack R. Fisher, and Kevin B. Foster
Additional Marine Benthic Algae from Howland and Baker Islands, Central Pacific, 271–290

Uowolo, Amanda L. and Julie S. Denslow
Characteristics of the *Psidium cattleianum* (Myrtaceae) Seed Bank in Hawaiian Lowland Wet Forests, 129–135

Valle, Charles F.—*see* Pondella et al.
van Houte-Howes, K.—*see* Wade et al.
Vargo, A. M.—*see* Wade et al.
Vargo, D. L.—*see* Wade et al.
Vitousek, Sean and Charles H. Fletcher
Maximum Annually Recurring Wave Heights in Hawai'i, 541–554
Vroom, Peter S.—*see* Tsuda et al.

Wade, L. M., F. S. Fanolua, A. M. Vargo, K. van Houte-Howes, E. Bardi, and D. L. Vargo
Exploiting Macrofauna Diadromy for Assessing Anthropogenic Impact in American Samoa Streams, 177–190
Ward, Darren
Ecological Partitioning and Invasive Ants (Hymenoptera: Formicidae) in a Tropical Rain Forest Ant Community from Fiji, 473–482
Weijerman, Mariska, Rebecca Most, Kristy Wong, and Sallie Beavers
Attempt to Control the Invasive Red Alga *Acanthophora spicifera* (Rhodophyta: Ceramiales), in a Hawaiian Fishpond: Assessment of Removal Techniques and Management Options, 517–532
Werding, Bernd—*see* López-Victoria and Werding
Westbrooke, I. M.—*see* Powlesland et al.
Wetmore, Lynne S.—*see* Pondella et al.
Whitaker, Anthony H.—*see* Bauer et al.
Widmer, Chad L.
Life Cycle of *Chrysaora fuscescens* (Cnidaria: Scyphozoa) and a Key to Sympatric Ephyrae, 71–82
Williams, Laura L.—*see* Cruz et al.
Wirshing, H.—*see* Smith et al.
Wong, Kristy—*see* Weijerman et al.

Yamaguchi, Masashi—*see* Yamakawa et al.
Yamakawa, Ayako Yashiki, Masashi Yamaguchi, and Hideyuki Imai
Genetic Relationships among Species of *Meretrix* (Mollusca: Veneridae) in the Western Pacific Ocean, 385–394
Yamasaki, Hideo—*see* Nakamura and Yamasaki
Yamasaki, Nozomi—*see* Maeda et al.
Yokota, Masatsugu—*see* Hagihara et al.

Subject Index

Acanthophora spicifera, removal attempts in a Hawaiian fishpond, 517–532
Acropora reproductive synchrony and spawning phenology in Northern Line Islands, 569–578
Acropora digitifera, flicker light effects on photosynthesis of symbotic algae in, 341–350
alga—see *Acanthophora spicifera*
algae, marine benthic, from Howland and Baker islands, 271–290
Ammodytidae, 603–612
Ammodytoides, two new species from the Pacific, 603–612
Amphibia, 423–430
Anthozoa, 57–69, 83–115, 341–350, 569–578
ants, ecological partitioning in Fiji, 473–482
  patterns of nestedness in remote Polynesian faunas, 117–127
Apodidae, 233–246
Ascidiaceae, 309–316
Asteraceae, 161–176
Astropyga pulvinata, seasonal occurrence and aggregation behavior in Costa Rica, 579–592
Aves, 233–246, 461–471

Baker Island, marine benthic algae, 271–290
bats—see *Emballonura* and *Mosia*
Bavayia, new species from New Caledonia, 247–256
biodiversity research on coral reef and island ecosystems, 299–301
Brachyura, 483–493
Bufo marinus, dietary habits in Ryukyus, 423–430
Bufonidae, 423–430
butterflies, first records from Nauru, 495–498

Carapus mourlani, first record in the mollusc *Dolabella auricularia*, 593–601
Cellana spp. harvesting, historical perspective, in Hawai'i, 21–38
Cephalopoda, 403–411
Ceramiales, 517–532
Chelonia mydas, comparison of immatures' diets in Hawai'i, 205–217
Chelonii, 395–402
Chrysaora fuscescens, life cycle and key to sympatric ephyrae, 71–82
Cnidaria, 71–82, 83–115, 341–350
Columbidae, 461–471
coral—see *Acropora digitifera*, *Pocillopora damicornis*, *Pocillopora eydouxi*, *Porites lobata*
coral reef ecosystems, and toxic organic pollutants around Okinawa, 317–326
corals, scleractinian, degree and pattern of gene flow in Ryukyus, 413–421
crab, mangrove—see *Scylla serrata*
Crambidae, 147–150
croaker, yellowfin—see *Umbrina roncador*
crownbeard, golden—see *Verbesina encelioides*
Crustacea, tropical Pacific decapod and stomatopod biogeography, 377–383
cyclone activity in the Cook Islands, 443–459

Decapoda, 1–19, 191–204, 483–493
Didemnidae, 309–316
Didemnum molle, color morph differences, 309–316
Diplodactylidae, 247–256
Dolabella auricularia, host of *Carapus mourlani*, 593–601
Ducula pacifica decline on Niue, 461–471

Echinodermata, 579–592
Echinoidea, 579–592
Eleotridae, 327–340
Eleotris acanthopoma and *Eleotris fusca*, reproductive biology and early develoment, 327–340
Emballonura bats, evolutionary lineages in the southwestern Pacific, 219–232

fishes, Hawaiian reef, otolith and body size relationships, 533–539
forest, subtropical evergreen broadleaf, canopy multilayering and woody species diversity in Okinawa, 363–376
Formicidae, 117–127, 473–482

Gecarcinidae, 483–493

Howland Island, marine benthic algae, 271–290
Hymenoptera, 117–127, 473–482

Johngarthia malpilensis, ecology of, 483–493

Lepidoptera, 147–150, 495–498
limpet—see *Cellana* spp.
lobster, red spiny—see *Panulirus penicillatus*
Loliginidae, 403–411
lupe—see *Ducula pacifica*

macrofauna, diadromy and anthopogenic impact in American Samoa, 177–190
Magnoliopsida, 161–176
Mammalia, 219–232
marine protected areas in Moorea, assessing impacts of, 431–441
Meretrix genetic relationships in the western Pacific, 385–394
Microchiroptera, 219–232
Mollusca, 137–145, 385–394, 593–601
Mosia bats, evolutionary lineages in the southwestern Pacific, 219–232
moth, Hawaiian leafroller—see *Omiodes continuatalis*
Myrtaceae, 129–135

Narella from Hawai'i, review, 83–115

Octocorallia from Hawai'i, 83–115
Omiodes continuatalis, first record of fossorial behavior, 147–150

Pacific Island forests, successionally impoverished, and overgrown by aliens?, 303–308

Pacific Island Invasive Species, 161–176
Palinuridae, 191–204
Panulirus penicillatus, life history in the Galápagos, 191–204
pearlfish—see *Carapus mourlani*
Perciformes, 555–568, 603–612
Plestiodon marginatus, molecular phylogeography of, 351–362
Pocillopora damicornis, growth and mortality of transplants in Hawai'i, 39–55
Pocillopora eydouxi, environmental versus genetic influences on growth rates, 57–69
Porites lobata, environmental versus genetic influences on growth rates, 57–69
Portunidae, 1–19
pro-thrombolites, geomorphology in a coastal lagoon, 257–269
Psidium cattleianum, characteristics of seed bank in Hawai'i, 129–135

reptiles of Nauru, 499–507
Reptilia, 247–256, 351–362, 395–402, 499–507
Rhodophyta, 517–532

sand lances—see *Ammodytoides*
Sciaenidae, 555–568
Scincidae, 351–362
Scleractinia, 57–69, 341–350, 569–578
Scylla serrata, population characteristics in Kosrae, 1–19
Scyphozoa, 71–82
sea urchin—see *Astropyga pulvinata*
Sepioteuthis lessoniana, low genetic diversity of, 403–411
skink, Ryukyu five-lined—see *Plestiodon marginatus*
sleepers—see *Eleotris*
snail, land, subfossil fauna of Ogasawara Islands, 137–145
Squamata, 247–256
squid, oval—see *Sepioteuthis* cf. *lessoniana*
swiftlet, Mariana, relative abundance and dristribution in Northern Marianas, 233–246

Teleostei, 327–340
Thysanoptera from French Polynesia, 509–515
toad, cane—see *Bufo marinus*
turtle, green—see *Chelonia mydas*
turtles, systematic review of Late Pleistocene Ryukyu, 395–402

Umbrina roncador, demographic parameters in California, 555–568

Veneridae, 385–394
Verbesina encelioides, biology and impacts on Pacific islands, 161–176

wave heights, maximum in Hawai'i, 541–554